



STRETCH WRAPPER
MODEL: CST 201/202

CST 201/202 User Friendly

CST 201 is characterised by the use and application of already pre-stretch film and its simplified functions.

Technical Characteristics

Total power installed	0.85 Kw
Standard input voltage	230V mono-phase - 50/60 Hz
Protection on electric system & motors	IP 54
Max pallet dimensions	800 x 1200 mm
Standard pallet height	2200 mm
Max capacity	1500 Kg
Table diameter	1500 mm
Production capacity per h	Up to 10



Version 201: Mechanical brake manually adjustable.



- Optionals
- Inox version.
 - Diameter 1500/1650/1800.
 - Acid protection.
 - Weight system.
 - Ramp of loading.
 - Majorable diameter.
 - Coreless film adapter.
 - Chassis elongation.
 - Idle conveyor.
 - Freezing cell.
 - Trans pallet system.



User Friendly


Version HS (Horse Shoe)

Control panel easy-to-use. Version features simplified operation. Multifunction programmable control panel.



Save your Money

Version 202: Motorized pre-stretch system with 3 driven rollers electronically controlled with interchangeable ratios: 150 - 200 - 250%.



WWW.CYKLOP.NL
+31 384675800

CYKLOP Nederland BV
Benjamin Franklinstraat 5
8013 NC Zwolle
info@cyklop.nl

